

BookStack

- [Enabling HTTPS for the BookStack web interface](#)

Enabling HTTPS for the BookStack web interface

The default BookStack installation script for Ubuntu 20.04/18.04/16.04 only configures the Apache2 server to use HTTP, not HTTPS. With plain HTTP becoming more and more obsolete each day, you'll likely want to use HTTPS instead in combination with a Let's Encrypt SSL certificate (or a self-signed cert if you're only accessing locally).

Move the original BookStack config file (so you can access it again if needed)

```
sudo mv /etc/apache2/sites-available/bookstack.conf /etc/apache2/sites-available/bookstack.conf.old
```

Create a new BookStack Apache2 config file:

```
sudo nano /etc/apache2/sites-available/bookstack.conf
```

Here is an example configuration - you will need to change the **ServerName** and **SSLCertificate** directives to match your requirements.

```
<VirtualHost *:80>
    ServerName YOUR-DOMAIN-HERE
    RewriteEngine On
    RewriteRule ^(.*)$ https://%{HTTP_HOST}$1 [R=301,L]
</VirtualHost>

<VirtualHost *:443>
    ServerName YOUR-DOMAIN-HERE
    ServerAdmin webmaster@localhost
    DocumentRoot /var/www/bookstack/public/

    SSLEngine on
    SSLCertificateFile    /etc/letsencrypt/live/YOUR-DOMAIN-HERE/fullchain.pem
    SSLCertificateKeyFile /etc/letsencrypt/live/YOUR-DOMAIN-HERE/privkey.pem

    <Directory /var/www/bookstack/public/>
        Options Indexes FollowSymLinks
```

```
AllowOverride None
Require all granted

<IfModule mod_rewrite.c>
    <IfModule mod_negotiation.c>
        Options -MultiViews -Indexes
    </IfModule>

    RewriteEngine On
    # Handle Authorization Header
    RewriteCond %{HTTP:Authorization} .
    RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]

    # Redirect Trailing Slashes If Not A Folder...
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteCond %{REQUEST_URI} (.+)/$
    RewriteRule ^ %1 [L,R=301]

    # Handle Front Controller...
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteRule ^ index.php [L]
</IfModule>
</Directory>

<ErrorLog ${APACHE_LOG_DIR}/error.log
<CustomLog ${APACHE_LOG_DIR}/access.log combined
</VirtualHost>
```

Enable Apache2's SSL module

```
sudo a2enmod ssl
```

Run Apache2's built in config tester to confirm there are no errors:

```
sudo apachectl configtest
Syntax OK
```

Edit BookStack's .env config file:

```
sudo nano /var/www/bookstack/.env
```

Change the **APP_URL** parameter so that it uses the full domain name, making sure that it specifies **https://** not **http://**

```
# Application URL
# This must be the root URL that you want to host BookStack on.
# All URLs in BookStack will be generated using this value
# to ensure URLs generated are consistent and secure.
# If you change this in the future you may need to run a command
# to update stored URLs in the database. Command example:
# php artisan bookstack:update-url https://old.example.com https://new.example.com
APP_URL=https://YOUR-DOMAIN-HERE
```

Restart Apache2

```
sudo systemctl restart apache2
```

[Source](#)